CEDAR CREEK
ANIMAL CLINIC

CALVES

Calves should be vaccinated when they are 1 month old.
Vision 7 - 7 way clostridium vaccine with blackleg
Alpha 7 MB - 7 way vaccine with Pinkeye given to younger calves
CCAC Pinkeye Vaccine- Custom made autogenous with 7 strains

Calves should be pre-conditioned after they are 4 months old.
Heifers can have brucellosis (calfhood)vaccination
and tags when they are 4-10 mos old.
Express 5 PHM - 5 way respiratory with pasturella pneumonia
Vision 7 Somnus-7 way clostridium vaccine with blackleg
plus Haemophilis Somnus (Histophilus)
Castrate and Dehorn
Worm & Pour with **Cydectin** - longer lasting, higher quality
pour-on for the control of external & internal parasites
Implant with **Ralgro**

Calves must be weaned for 30 days to get a green tag certificate.

OR

Booster the upper respiratory vaccine 3-4 weeks after initial vaccine.
Calves must be weaned for 45 days to get a gold tag certificate
Owner must provide weaning information and sign
green or gold tag certificates **BEFORE** sale date.

2057 210th Street, Winterset, Iowa 50273 ~ **515-462-3200**
Dr. John Holcomb ~ Dr. Kyle Malter ~ Dr. Jennifer Hoffelmeyer
www.cedarcreekanimalclinic.com

2009 Cattle Herd Monthly Planner

Semen Check Bulls

This should be done before turning the bulls out with cows.
At this time, Bulls are vaccianted with **Vibrio Lepto & Pinkeye**
Protection. Bulls are poured with **Cydectin** and
Fly tags are administered.

Pre-Breeding Vaccinations

Cows should be open and vaccinated with **Express 3FP+VL5.**
This vaccine is to protect against reproductive diseases
caused by 2 types of BVD and IBR. It also protects against 5 strains of
Lepto & Vibrio (Camphylobacter).

UltraSound Pregnancy Checks

This should be done 25-30 days after the cows have been bred.

Pregnancy Checks

This should be done 45-60 days after the cows have been bred.

Vaccinating Cows

ScourGuard 4KC or Guardian
Given to prevent scours in newborn calves.
Vibrio-Lepto
Given to prevent cows from aborting.